

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	229106	thin same bottom	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/28 20:57
L9	8580	l8 and bottle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/28 20:58
L10	4338	biaxial adj orientation	US-PGPUB; USPAT	AND	ON	2008/12/28 20:59
L11	128	l9 and L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/28 20:59
L12	4543	428/35.7	US-PGPUB; USPAT	AND	ON	2008/12/28 22:13
L13	154	428/1.6	US-PGPUB; USPAT	AND	ON	2008/12/28 22:13
L14	504	264/521	US-PGPUB; USPAT	AND	ON	2008/12/28 22:13
L15	630	264/532	US-PGPUB; USPAT	AND	ON	2008/12/28 22:13
L16	376	215/373	US-PGPUB; USPAT	AND	ON	2008/12/28 22:13
L17	672	215/381	US-PGPUB; USPAT	AND	ON	2008/12/28 22:13
L18	6374	L12 or L13 or L14 or L15 or L16 or L17	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/12/28 22:13
L19	6374	L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/28 22:13
L20	464	l10 and l19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/28 22:13
L21	276	l20 and bottle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/28 22:13

L22	75995	X-ray adj diffraction	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/12/28 22:13
L23	3	l21 and L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/28 22:13
S1	4163	428/35.7	US-PGPUB; USPAT	AND	ON	2007/10/31 08:57
S2	126	428/1.6	US-PGPUB; USPAT	AND	ON	2007/10/31 08:57
S3	489	264/521	US-PGPUB; USPAT	AND	ON	2007/10/31 08:57
S4	613	264/532	US-PGPUB; USPAT	AND	ON	2007/10/31 08:58
S6	320	215/373	US-PGPUB; USPAT	AND	ON	2007/10/31 08:58
S7	560	215/381	US-PGPUB; USPAT	AND	ON	2007/10/31 08:58
S8	1	("6349838").PN.	US-PGPUB; USPAT	AND	ON	2007/10/31 08:59
S9	2	("6627279").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/10/31 09:01
S10	59907	biaxial\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/10/31 09:33
S12	5	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/10/31 09:33
S13	5796	S1 or S2 or S3 or S4 or S6 or S7	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/10/31 09:34
S14	1319	S10 and S13	US-PGPUB; USPAT	AND	ON	2007/10/31 09:34
S15	2164	S1 and container	US-PGPUB; USPAT	AND	ON	2007/10/31 09:34
S16	889	S14 and container	US-PGPUB; USPAT	AND	ON	2007/10/31 09:34
S17	4050	biaxial adj orientation	US-PGPUB; USPAT	AND	ON	2007/10/31 09:35
S18	305	S17 and S16	US-PGPUB; USPAT	AND	ON	2007/10/31 09:35
S19	4055	biaxial adj orientation	US-PGPUB; USPAT	AND	ON	2007/11/01 07:28

S20	3	S19 and XRF	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/11/01 07:28
S21	66823	X-ray adj diffraction	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/11/01 07:29
S22	212	S19 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/11/01 07:30
S23	5477	biaxial adj orientation	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/11/01 08:05
S24	229	S21 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/11/01 08:06
S25	4163	428/35.7	US-PGPUB; USPAT	AND	ON	2007/11/01 16:57
S26	126	428/1.6	US-PGPUB; USPAT	AND	ON	2007/11/01 16:57
S27	489	264/521	US-PGPUB; USPAT	AND	ON	2007/11/01 16:57
S28	613	264/532	US-PGPUB; USPAT	AND	ON	2007/11/01 16:57
S29	320	215/373	US-PGPUB; USPAT	AND	ON	2007/11/01 16:57
S30	560	215/381	US-PGPUB; USPAT	AND	ON	2007/11/01 16:57
S31	59944	biaxial\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/11/01 16:57
S32	5796	S25 or S26 or S27 or S28 or S29 or S30	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/11/01 16:57
S33	1319	S31 and S32	US-PGPUB; USPAT	AND	ON	2007/11/01 16:57
S34	889	S33 and container	US-PGPUB; USPAT	AND	ON	2007/11/01 16:57
S35	4055	biaxial adj orientation	US-PGPUB; USPAT	AND	ON	2007/11/01 16:57
S36	305	S35 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/01 16:57
S37	5746	biaxial adj orientation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 09:30

S38	1	2theata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 09:32
S39	5	"2" adj theata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 09:32
S40	7991	"2" adj theta	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 09:34
S41	20	S37 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 09:34
S42	18	lx/ly	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 09:40
S43	20	lx\$/ly	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 09:41
S44	1237	orientation adj parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 09:42
S45	4	BO near S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 09:43
S46	3664	diffraction adj intensity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 09:44
S47	16	S44 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 09:44
S48	4163	428/35.7	US-PGPUB; USPAT	AND	ON	2007/11/05 10:19
S49	126	428/1.6	US-PGPUB; USPAT	AND	ON	2007/11/05 10:19
S50	489	264/521	US-PGPUB; USPAT	AND	ON	2007/11/05 10:19
S51	613	264/532	US-PGPUB; USPAT	AND	ON	2007/11/05 10:19

S52	320	215/373	US-PGPUB; USPAT	AND	ON	2007/11/05 10:19
S53	560	215/381	US-PGPUB; USPAT	AND	ON	2007/11/05 10:19
S54	59978	biaxial\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/11/05 10:19
S55	5796	S48 or S49 or S50 or S51 or S52 or S53	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/11/05 10:19
S56	1319	S54 and S55	US-PGPUB; USPAT	AND	ON	2007/11/05 10:19
S57	889	S56 and container	US-PGPUB; USPAT	AND	ON	2007/11/05 10:19
S58	4055	biaxial adj orientation	US-PGPUB; USPAT	AND	ON	2007/11/05 10:19
S59	305	S58 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 10:19
S60	1459	S58 and container	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 10:19
S61	47498	blow adj mold\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 10:20
S62	753	S60 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 10:20
S63	150	"3903234"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 10:44
S64	51	"3849530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 10:47
S65	16062	heat adj setting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 14:11
S66	1061	S58 and S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 14:11

S67	331	S66 and container	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 14:11
S68	165	S67 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 14:36
S69	269	dsc adj endothermic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 14:57
S70	1	S68 and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 14:57
S71	5748	biaxial adj orientation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/08 09:41
S72	150	"3903234"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/08 09:41
S73	80	S71 and S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/08 09:41
S74	47536	blow adj mold\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/08 09:41
S75	1149	S71 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/08 09:41
S76	744	stretch adj rod	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/08 09:42
S77	126	S75 and S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/08 09:42
S78	1	primary adj orientation adj blow adj molding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/08 10:01

S79	11	"5585065"	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/06/18 14:51
S80	72516	X-ray adj diffraction	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:19
S81	10264	S80 and theta	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/06/19 11:19
S82	20	S81 and (blow with mold)	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/06/19 11:20
S83	65921	biaxial\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:39
S84	65921	S83	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:39
S85	4222	biaxial adj orientation	US-PGPUB; USPAT	AND	ON	2008/06/19 11:39
S86	4222	S85	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:39
S87	3	S85 and XRF	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:39
S88	3	S87	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:39
S89	1382	orientation adj parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:40
S90	1370	S89	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:40
S91	3931	diffraction adj intensity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:40
S92	3866	S91	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:40
S93	15	S90 and S92	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:40

S94	2730	S85 and polyester	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:40
S95	950	S94 and container	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:41
S96	80	S95 and diffraction	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:41
S97	1	"10500192"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/22 16:19
S98	465	hirota and shibata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/22 16:21
S99	7	S98 and biaxial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/22 16:21
S100	20870	uniform same (bottom or heel) and orientat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/26 16:19
S101	1323	S100 and bottle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/26 16:20
S102	75995	X-ray adj diffraction	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/12/26 16:20
S103	38	S101 and S102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/26 16:20

12/ 28/ 2008 10:14:08 PM

C:\Documents and Settings\ekashnikow\My Documents\EAST\Workspaces\10500192
biaxial orientation.wsp